



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**



7/1/03
PH
#1 1/2

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

00128500.6

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

I.L.C. HATTEN-HECKMAN

DEN HAAG, DEN
THE HAGUE, 06/06/01
LA HAYE, LE

THIS PAGE BLANK (USPTO)



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

**Blatt 2 der Bescheinigung
Sheet 2 of the certificate
Page 2 de l'attestation**

Anmeldung Nr.:
Application no.:
Demande n°: 00128500.6

Anmeldetag:
Date of filing:
Date de dépôt: 23/12/00

Anmelder:
Applicant(s):
Demandeur(s):
International Business Machines Corporation
Armonk, NY 10504
UNITED STATES OF AMERICA

Bezeichnung der Erfindung:
Title of the invention:
Titre de l'invention:
System and method for rewarding a users interaction behavior with a computer system

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:
State:
Pays:

Tag:
Date:
Date:

Aktenzeichen:
File no.
Numéro de dépôt:

Internationale Patentklassifikation:
International Patent classification:
Classification internationale des brevets:

/

Am Anmeldetag benannte Vertragsstaaten:
Contracting states designated at date of filing: AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE/TR
Etats contractants désignés lors du dépôt:

Bemerkungen:
Remarks:
Remarques:

THIS PAGE BLANK (USPTO)

23. Dez. 2000

D E S C R I P T I O N

**System and Method for Rewarding a User's Interaction Behavior
with a Computer System****Field of the invention**

This invention relates to electronic commerce. More particularly this invention relates to a system and method for providing rewards in accordance to a user's interaction behavior with a computer system. One possible area of exploitation of the current teaching is the area of advertising within interactive systems like the Internet.

Background of the invention

With the increasing popularity of the internet and the world wide web, it has become common to set up web sites for advertising, marketing, selling goods and services as well as providing product and other information and customer services. Examples for such web sites are online stores for books, computers and other goods, web sites providing information on the stock market, travel information or weather reports, search engines and access to databases. The commercial value and the stock market value of such a web site is usually proportional to the number of visitors per time interval.

A problem commonly faced by on-line advertisers and merchants is an inability to efficiently attract potential consumers to their web sites. One way of attracting consumers has been to market the site through television, newspaper and other conventional channels. However, advertising a site using conventional methods can be expensive, and can consume significant human resources. In addition it is often difficult or impossible to evaluate the effectiveness of a given advertisement.

An advertisement method commonly used on the Internet are so called "banners". If the user clicks on a banner this has typically the effect that the web browser program automatically connects to the web sites with the URL corresponding to the banner advertisement. From this site the user will typically follow other links and thereby risks to "get lost" in the Internet and not come back to the original site on which the banner advertisement is placed. This problem may even discourage the owner of the original web page to integrate such banners of third parties or at least be very restrictive with respect to the selection of deviating links.

From US 5,794,21 an attention brokerage system is known which provides compensation to users for paying attention to an advertisement or other "negatively priced" information distributed over the Internet. A special icon or other symbol displayed on a computer screen may represent compensation and allow users to choose whether they will view other negatively priced information and receive associated compensation. Targeting users may be provided by reference to a database of digitally stored demographic profiles of potential users. Information can be routed to users on demographics, and software agents can be used to actively seek out users on a digital network. One of the drawbacks of this prior art system is that it requires an intermediate agent, i.e. an attention broker computer and registration of both users and advertisers with the attention broker computer.

From US 6,141,010 a computer interface method and apparatus with targeted advertising based upon demographic and user interaction is known. Associated with each banner advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed.

From US 5,960,411 a method and system for placing a purchase order via a communications network is known. The order is placed by a purchaser at a client system and received by a server

system. A server system receives purchaser information including identification of the purchaser, payment information and shipment information from the client system. The server system then assigns a client identifier to the client system and associates the assigned client identifier with the received purchaser information. The server system sends the assigned client identifier to client system and an html document identifying the item and including an order button. The clients system receives and stores the assigned identifier by means of a so-called "cookie".

Summary of the Invention

A principal object of the present invention is to provide a computer system as well as a computer program, and a method for rewarding a user's interaction behavior such that an incentive is provided to the user who desires to follow an hyperlink in a first document to a second document like a URL to definitely and intentionally return to the original document. In brief, when the user is offered a hyperlink to go to another document this typically implies a risk that the user will "get lost" by following subsequent other hyperlinks. This problem is addressed by the invention by offering and providing the user with a reward as an incentive to return to the original document after having visited the second document linked to by the hyperlink. With this technology a personal interest is created on the user's side to definitely return to the deviating document.

For instance by applying the proposed technology to the Internet the invention enables a company to direct their customers to another companies web site without risking that its' own customers will not come back to the companies web site or "get lost" in the Internet. There can be many reasons for a company to suggest hyperlinks to its customers:

One reason to include hyperlinks to other web sites is to provide added value and customer service to the customer. For example a

law firm typical includes hyperlinks to other legal sites to allow their clients to down load legal documents like legal texts and patents. If a client follows such a hyperlink it is desirable that he or she comes back to the original web site of the law firm after the download.

Another common reason to provide a hyperlink to another web site is to suggest to down load an additional program such that the user can better view the web site of the company. Again it is desireable that the user returns to companies' web site after having loaded and installed the additional computer program from the remote web site.

Still another reason for a company to include links to other web sites in its' own web site is to generate income by allowing others to place banner advertisement on the companies' web site. This is most important for a company whose business model is entirely based on income from advertisement, like web portals and search engine web sites. To help enhance its' customer relationship and enhance customer loyalty it is helpful to offer reward to a user to return to the companies' web site after having clicked on a banner advertisement or other hyperlink.

Further the present invention allows a company to provide a reward to a user in exchange for the user viewing "negatively priced" information without prior agreement or consent of the provider of the negatively priced information. If the company can show to the provider of the negatively priced information that a significant number of users view the negatively priced information by following a corresponding hyperlink from its' web site, this can be a basis for the company to negotiate in retrospect an agreement with the provider of the negatively priced information because the company continuously increases the value of the provider of the negatively priced information by directing its' users to the corresponding hyperlink.

The reward provided to the user can be of various types. One way

to reward the user is to provide "positively priced" information to the user or information which may otherwise be of interest to the user, such as stock market data, weather reports, music, video, graphics or program files. Alternatively the user is offered bonus points for purchase of the companies goods or receives direct cash payment on to its' credit card account.

Yet another way of rewarding a user is to offer other computer-based services to the user not available otherwise; or, if available, for which otherwise the user would have to charge for.

Briefed description of the drawings

The present invention together with the above and other objects advantages may best be understood from the following detailed description of the preferred embodiments of the invention illustrated in the drawings, where in:

Fig. 1. and Fig. 2 are block diagram representations illustrating a computer system, comprising a clients system and service systems, for implementing a method for providing reward to a user;

Fig. 3 is a flow chart of a preferred embodiment of the invention;

Fig. 4 is a flow chart of a further preferred embodiment of the invention;

Fig. 5 to Fig. 7 represents an illustrative example of an application of the invention.

Detailed description of the preferred embodiment

In the drawings and specification there has been set forth a preferred embodiment of the invention and, although specific terms are used, the description thus given uses terminology in a

generic and descriptive sense only and not for purposes of limitation. It will, however, be evident that various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention as set forth in the appended claims.

The present invention can be realized in hardware, software, or a combination of hardware and software. Any kind of computer system - or other apparatus adapted for carrying out the methods described herein - is suited. A typical combination of hardware and software could be a general purpose computer system with a computer program that, when being loaded and executed, controls the computer system such that it carries out the methods described herein. The present invention can also be embedded in a computer program product, which comprises all the features enabling the implementation of the methods described herein, and which - when being loaded in a computer system - is able to carry out these methods.

Computer program means or computer program in the present context mean any expression, in any language, code or notation, of a set of instructions intended to cause a system having an information processing capability to perform a particular function either directly or after either or both of the following a) conversion to another language, code or notation; b) reproduction in a different material form.

Even though the current invention is described within the context of the Internet and the corresponding World Wide Web this is for a descriptive purposes only and may not be understood as a limitation of the applicability and scope of protection of the current technology. Also within the following description the notion of a **document** is used as an abstract concept of some type of entity comprising a hyperlink allowing to navigate to another entity; these entities may represent real documents, pages on a computer system like Web pages or some objects and the like. While the following description will outline the current

invention based on a client computer used by the user to access these documents (interconnected by hyperlinks) residing on the same or different server computers this distribution aspect is not essential for the current invention; in one "extreme" embodiment of the current invention there might not exist any distributed data processing environment and all the documents are hosted directly by the computer system used by the user.

Glossary of terms and acronyms

The following terms and acronyms are used throughout the detailed description:

Client-Server. A model of interaction in a distributed system in which a program at one site sends a request to a program at another site and waits for a response. The requesting program is called the "client", and the program which responds to the request is called the "server". In the context of the World Wide Web (discussed below), the client is a "Web browser" (or simply "browser") which runs on a computer of a user; the program which responds to browser requests by serving Web pages is commonly referred to as a "Web server".

Hyperlink. A navigational link from one document to another, or from one portion (or component) of a document to another. Typically, a hyperlink is displayed as a highlighted word or phrase that can be selected by clicking on it using a mouse to jump to the associated document or documented portion.

Hypertext System. A computer-based informational system in which documents (and possibly other types of data entities) are linked together via hyperlinks to form a user-navigable "web".

Internet. A collection of interconnected (public and/or private) networks that are linked together by a set of standard protocols (such as TCP/IP and HTTP) to form a global, distributed network. (While this term is intended to refer to what is now commonly known as the Internet, it is also intended to encompass

variations which may be made in the future, including changes and additions to existing standard protocols).

World Wide Web ("Web"). Used herein to refer generally to both (i) a distributed collection of interlinked, user viewable hypertext documents (commonly referred to as Web documents or Web pages) that are accessible via the Internet, and (ii) the client and server software components which provide user access to such documents using standardized Internet protocols. Currently, the primary standard protocol for allowing applications to locate and acquire Web documents is HTTP, and the Web pages are encoded using HTML. However, the terms "Web" and "World Wide Web" are intended to encompass future markup languages and transport protocols which may be used in place of (or in addition to) HTML and HTTP.

Web Site. A computer system that serves informational content over a network using the standard protocols of the World Wide Web. Typically, a Web site corresponds to a particular Internet domain name, such as "IBM.com", and includes the content associated with a particular organization. As used herein, the term is generally intended to encompass both (i) the hardware/software server components that serve the informational content over the network, and (ii) the "back end" hardware/software components, including any non-standard or specialized components, that interact with the server components to perform services for Web site users.

HTML (Hyper Text Markup Language). A standard coding convention and set of codes for attaching presentation and linking attributes to informational content within documents. (HTML 2.0 is currently the primary standard used for generating Web documents.) During a document authoring stage, the HTML codes (referred to as "tags") are embedded within the informational content of the document. When the Web document (or HTML document) is subsequently transferred from Web server to a browser, the codes are interpreted by the browser and used to parse and

display the document. Additionally in specifying how the Web browser is to display the document, HTML tags can be used to create links to other Web documents (commonly referred to as "hyperlinks"). For more information on HTML, see Ian S. Graham, The HTML Source Book, John Wiley and Sons, Inc. 1995 (ISBN 0471-11894-4).

HTTP (Hyper Text Transport Protocol). The standard World Wide Web client-server protocol used for the exchange of information (such as HTML documents, and client requests for such documents) between a browser and a Web server. HTTP includes a number of different types of messages which can be sent from the client to the server to request different types of server actions. For example, a "GET" message, which has the format GET <URL>, causes the server to return the document of file located at the specified URL.

JAVA. A portable language for building of highly distributable applications or applets. An applet can be accessed over the Internet. It is self-contained in that it carries its' own presentation and processing code and can run on whatever type of computer which imports it. Applets are being used as "plug-in" units that form part of a larger application.

URL (Uniform Resource Locator). A unique address which fully specifies the location of a file or other resource on the Internet. The general format of a URL is protocol://machine address:port/path/filename. The port specification is optional, and if none is entered by the user, the browser defaults to the standard port for whatever service is specified as the protocol.

Cookies. A technology that enables a Web server to retrieve information from a user's computer that reveals prior browsing activities of the user. The informational item stored on the user's computer (typically on the hard drive) is commonly referred to as a "cookie". Many standard Web browsers support the use of cookies.

PUSH Technology. An information dissemination technology used to send data to users over a network. In contrast to the World Wide Web (a "pull" technology), in which the client browser must request a Web page before it is sent, PUSH protocols send the informational content to the user computer automatically, typically based on information prespecified by the user.

Fig. 1 shows a preferred embodiment of a computer system for providing reward to a user. The computer system has a client computer 1, which can be a standard personal computer using the windows operating system. The client computer 1 can be linked to other client computers in a company network, such as an Intranet or LAN, or it can be a stand-alone personal computer. The client computer 1 has a web browser program to allow a user to access the Internet 2. Further, the computer system has server computers 3 and 4 which are also connected to the Internet 2. Server computer 3 and server computer 4 host different web sites. The user of client computer 1 can access the web sites of server computers 3 and 4 by inputting the URL into its' web browser. By using the TCP/IP and HTTP standard protocols the web browser can download web documents from the respective web site.

Fig. 2 shows a more detailed view of the system of Fig. 1. In Fig. 2 the same reference numerals are used to designate the same elements as shown in Fig. 1. The client system 1 has browser 5 which can create a cookie 6. The cookie 6 typically is stored on non-volatile memory of client system 1, such as the hard disk of client system 1. Further the client system 1 has a system clock 7 which is visible to the browser 5.

Server system 3 stores a web document 8 which is associated to its' JAVA applet 9. Further the server system has a database 10 for storing for instance positively priced information such as stock market data, travel and weather related data or music and video files. In general database 10 comprises information the user might be interested in, independent whether it is prized or not. This data and files are transferable from the server

computer 3 to the Internet 2 in response to a "pull" request or a PUSH operation performed by server system 3.

Further the server system 3 has a database 11 for storing user profiles. The user profiles can be used to provide a user specific reward to a user in the form of bonus points or by making cash payments to the user's credit card account. Each user profile stored in database 11 is retrievable from database 11 based on a unique user ID assigned to each particular user. The user profile can encompass the user's credit card account, shipping address, billing address, e-mail address, telephone number as well as a history file containing data of the user's interests, demographic information and/or prior purchases and/or downloads performed by the user.

Server System 4 also contains a web document 12 which can be downloaded by client system 1 through browser 5 and Internet 2. The web document 8 has a hyperlink to the web document 12 on server system 4.

Fig. 3 illustrates the operation of a computer system depicted in Fig. 2. In step 1 the user of client system 1 enters the address of the web site of server system 3 having the web document 8. This way the web document 8 together with its' associated JAVA applet 9 is loaded from server system 3 to browser 5 of client system 1 through Internet 2. JAVA applet 9 is started automatically on client system 1 and the corresponding application program is executed by the processor of client system 1. The web document 8 contains a hyperlink to web document 12 on server system 4 which is visible to the user.

The hyperlink can be shown to the user of client system 1 by displaying the URL of the hyperlink or by showing a graphic object or banner advertisement which points to the URL of web document 12 or some other technical means. The web document 8 contains an offer to the user of client system 1 to the effect that when the user follows the hyperlink to web document 12 and

returns to the original web site of web document 8 on server system 3 the user will get a reward; that is, the reward will be distributed only after returning within the context of the original document 8 to create a significant personal interest on the user's side to "actively" and intentionally return to the deviating document.

The offered reward can be of various kinds. For example the reward may consist of positively priced information for which a user would normally have to pay or other information of potential interest to the user. If the user desires to accept the offer he or she clicks on the hyperlink so that web document 12 is downloaded from server 4 to browser 5 over Internet 2. This is done in step 2.

When the user clicks on the deviating URL contained in web document 8 to branch to the second document (thus implicitly accepting the offer) JAVA applet 9 is invoked to read the system time by making access to system clock 7. JAVA applet 9 and/or browser 5 create a cookie 6 for storing the system time when the user clicks on the URL of web document 8 on client system 1. Alternatively this can also be realized by making usage of JavaScript. As well, "JSP" (Java Server Pages) or "ASP" (Active Server Pages) can be used.

In step 3 the user returns to the original web document 8 by clicking on the "return-button" of browser 5. This again invokes JAVA applet 9 to read the present system time from system clock 7 and to read the previously stored system time from cookie 6. The time difference between the actual system time and the previously stored system time indicates the time which the user spends on web document 12. It is advantageous to provide the reward to the user of client system 1 only if the user spends a certain minimum amount of time with web document 12, as this increases the probability that the user really "perceived" the information provided with the second document 12.

This is a measure to prevent the frivolous usage of computer programs simulating input operations of a human user in order to make frequent usage of the offer contained in web document 8 to obtain the reward. Such computer programs are detrimental to the owner of the web site of web document 8 because the offered reward is only intended for a human user who has actually visited the web site of web document 12 and perceived its contents.

It is pointed out that the proposed invention is independent from the concrete technique of returning to the original web document (the deviating document) 8. Instead of clicking the return button it also would be possible to explicitly enter the URL of the original document into the browser or selecting the URL in the history file of the browser.

If reward is only paid under the condition that a certain minimum time was spend on the web site of web document 12 this does not make impossible the frivolous use of such computer programs but it makes it less attractive because the maximum frequency of getting a reward is limited by the time threshold. For example, the threshold value for the minimum amount of time the user has to spend on web document 12 in order to get reward can be set to one minute. It is most advantageous to set the times threshold to a value being characteristic to the web document, or in other words, to set the time threshold to a time value required by a typical user to read and understand the provided information.

On the other hand it is desireable for the owner of the web site of web document 8 that the user does not spend too much of its' time on the remote web site of web document 12. This is why setting a second threshold value is advantageous. In this case a reward is only provided to the user if he or she returns to original web document 8 within a period of time which is shorter than the second threshold value.

JAVA applet 9 accordingly compares the actual amount of time the user spends on web document 12 with both threshold values. If the amount of time is in between the threshold values, a request is

automatically issued by JAVA applet 9 and browser 5 over Internet 2 to server system 3 to provide the offered and accepted reward to the user of client system 1. This is done in Step 4.

The report for instance in the form of positively priced information or other information or access to computer-based services being of interest for a user is outputted from database 10 over Internet 2 to browser 5. Alternatively a plurality of options concerning the kind of reward can be offered to the user of the client system before the concrete request to access the reward is made. For example the user can select from a variety of music and/or video files or select certain data of interests to the user. Or even more advanced, a user might choose a general computerized service he/she would like to access as reward. In this case the user's selection is integrated into the reward request and used to retrieve the desired information from database 10 before it is provided to browser 5. Sending the positively priced information from server system 3 can be done by using the PUSH or PULL technology.

Of course it would also be possible to provide on return to the original document not a single reward but a collection of rewards from which a user is allowed to actually select a certain one only depending on his preferences.

Alternatively bonus points or cash payments can be made as a reward for the user. In this case prior registration of the user is necessary. In the registration process the user is assigned a user ID which serves to retrieve user profile information from database 11. The user ID is also stored by means of cookie 6 in client system 1. When a request for reward in the form of bonus points or cash payment is made JAVA applet reads the user ID from cookie 6 and sends it to server system 3 together with the reward request. The user ID allows to retrieve the user profile stored in database 11 and thus to access the bonus account or credit card account of the user in order to transfer the bonus point or cash, respectively.

In a preferred embodiment the server system 3 has a counter to count the number of reward requests because this information is representative of the number of users who actually visited the web site of web document 12. This information is important to proof the increase in value of the web site of web document 12, which is accomplished by the web site of web document 8. This information is important for the owner or operator of the web site of web document 8 to negotiate a reward for this value increase with the owner of the web site of web document 12. Thus the proposed technology allows to measure the attractiveness of the second document due to its accessibility based on the hyperlink from the first document.

Further it is advantageous to include a statistics module in server system 3 for statistical analysis of user profiles of users making selections of the web document 12. This information can be of interest to both operators of documents 8 and 12 and/or can be sold to third parties.

Fig. 4. Shows a further preferred embodiment of the method of the invention. In step 41 web document 8 is loaded by browser 5, the web document 8 containing a URL to web document 12. In step 42 the user clicks on the URL to access web document 12. In response to this user action cookie 6 is created which stores the current system time. This is done in step 45.

After some time the user returns to the original web document 8 in step 43, e.g. by making usage of the "back-button" of browser 5. Alternatively, any other method than using the "back-button" can be used to return to the original web document 8, e.g. typing in the URL of page 8 explicitly, or using the bookmark technique. When the user returns the cookie 6 is read in step 46. At the same time the present system time is determined by accessing system clock 7. Thereby the duration of the time interval the user spent outside the web site of web document 8 is determined.

This time interval is compared with a lower threshold value in step 47. In step 48 the time interval is compared to a higher threshold value. In step 49 it is decided whether the time interval is greater than the lower threshold value and lesser than the higher threshold value. If the time interval is in the range as defined by the lower and higher threshold values reward is provided to the user in step 44. If the contrary is the case no reward is provided and a corresponding explanatory message may be provided to the user in step 50.

Fig. 5 to. Fig. 7 shows an example of the application on an embodiment of the invention. Fig. 5 depicts the web site www.server1.com of a web portal named the "miscellaneous services page". This web site is accessed by the user of client system 1 through its' browser 5. The corresponding web document as depicted in Fig. 5 contains a hyperlink to "Trust Fund Co." and a hyperlink to the "Weather-channel". For the first hyperlink the reward offered to the user is the current stock price of IBM stock and for the second hyperlink the reward offered to the user is the weather forecast in the region where the user resides. If the user clicks on the hyperlink "Trust Fund Co." the browser 5 connects to www.server2.com as shown in Fig. 6. After some time the user goes back to the original web site www.server1.com, e.g. by clicking its' browsers back-button. When this action occurs reward is requested for the user in form of the current value of the IBM stock and is displayed to the user as depicted in Fig. 7.

If the user had followed the "Weather-channel" hyperlink the user's profile information stored in database 10, in particular his or her address, serves to access the weather forecast information of the corresponding region which is provided as reward to the user.

In the previous examples the first and the second document resided on different computer systems belonging to different owners. The next example relates to a situation wherein both documents reside on the same computer system and even belong to

the same owner. Suppose a software company which offers various software products governed by different license conditions. Let's assume that for a first set of software products the public is well-informed about the relating license conditions. In addition a second set of software products could be offered by that software company for which very specific license conditions do exist; for instance due to the experimental nature of the second set of software products the company is providing different warranty clauses within the license agreement. With this background a first document could offer the first set of software products for download right away. An informational element within this first document could indicate that in addition additional, more experimental software products do exist but which are governed by a separate license agreement. A hyperlink is comprised within the first document allowing navigation to a second document comprising this separate license agreement. As reward for following this hyperlink the first document promises to make the second set of (experimental) software products available for download in addition within the first document after returning from the second document. Due to the more complicated subject matter of the license agreement the time thresholds discussed above are set to larger values to enforce that user is actually studying these licensing conditions thoroughly. Based on the current invention a user who spent enough time studying the specific license agreement would be rewarded on return to the first document by an enhanced list of downloadable software products comprising the first and second set of software products of that company.

List of reference numerals

client computer	1
Internet	2
server computer	3
server computer	4
browser	5
cookie	6
system clock	7
web document	8
JAVA applet	9
database	10
database	11
web document	12

Claims

EPO-Munich
52
23 Dez. 2000

1. A computer system comprising a single computer or a multitude of computers interconnected by a computer network for providing a reward to a user comprising:

means for loading a first document (8) said first document having a hyperlink to a second document (12);

means (5, 6, 9) for monitoring said user whether said user navigates to said second document; and

means (5, 6, 9) for monitoring said user whether said user returns to said first document; and

means (10, 11) for providing a reward to said user in response to the user returning to the first document.

2. The computer system of claim 1 further comprising:

means (9) for starting a timer in response to the user's choice to follow the hyperlink;

means for stopping the timer when the user returns to the first document;

means for comparing the timer value to a first and a second threshold value, whereby the reward is provided to the user only if the timer value is greater than the first threshold value and smaller than the second threshold value after the users return to the first document.

3. The computer system of claim 1 or 2 further comprising:

a client computer providing said user access to at least one server computer;

means (9) for storing a client computer system time (7) in response to the users choice to follow the hyperlink;

means for comparing the client computer system time to the stored client computer system time when the user returns to the first document, whereby the reward is provided to the user only if the comparison value is greater than a first threshold value and smaller than a second threshold value after the users return to the first document.

4. The computer system of claim 1, 2 or 3 the means for rewarding the user further comprising means for providing positively priced information to the client computer.

5. The computer system of anyone of the preceding claims the means for rewarding further comprising:

means for storing unique user identification data on the client computer;

means for storing user information required to reward the user on the server computer,

the user information being retrievable based on the unique user identification data;

means for providing the unique user identification data to the server computer in response to the user returning to the first document for retrieval of the user information to effect the reward.

6. The computer system of anyone of the preceding claims comprising means for loading program data concurrently with the loading of the first document, the program data being executable for monitoring the users choice to follow the hyperlink and to return to the first document and for requesting the reward in case the user returns to the first document.

7. The computer system of anyone of the preceding claims

wherein said first threshold is a characteristic time period necessary for a human user to perceive the information provided by the second document.

8. The computer system according to claim 7,

wherein said reward consists in any element or combination of elements of the set of:

further information;

a music or video file or software product;

access to an electronic service;

bonus points usable within an e-commerce business;

cash payment.

9. The computer system according to claim 8 further comprising

means for administrating statistical information after said user returns to said first document to measure attractiveness of said second document due to its accessibility through said hyperlink from said first document.

10. A client computer for providing a reward to a user comprising:

a browser component (5) for loading a first document (8) from a server computer interconnected with said client computer by a computer network, the first document having a hyperlink to a second document (12) on said server computer or on another server computer (4);

means (5, 6, 9) for monitoring said user whether said user navigates to said second document; and

means (5, 6, 9) for monitoring said user whether said user returns to said first document; and

means for sending a reward request to the server computer in response to the user returning to the first document.

11. The client system of claim 10 the browser component further comprising:

means (9) for starting a timer in response to the users choice to follow the hyperlink;

means for stopping the timer when the user returns to the first document;

means for comparing the timer value to a first and a second threshold value, whereby the reward is requested only if the timer value is greater than the first threshold value and smaller than the second threshold value after the users return to the first document.

12. The client system of claim 10 or 11 further comprising:

means (9) for storing a client computer system time in response to the users choice to follow the hyperlink;

means for comparing the client computer system time to the stored client computer system time when the user returns to the first document, whereby the reward is provided to the user only if the comparison value is greater than a first threshold value and smaller than a second threshold value after the users return to the first document.

13. The client system of anyone of the claims 10 to 12

comprising means for loading program data (9) concurrently with the loading of the first document, the program data being executable on the client computer for monitoring the user's choice to follow the hyperlink and to return to the first document and for requesting the reward from the server computer in case the user returns to the first document.

14. The client system of anyone of the claims 10 to 13

wherein said first threshold is a characteristic time period necessary for a human user to perceive the information provided by the second document.

15. The client system of anyone of the claims 10 to 14

wherein said reward consists in any element or combination of elements of the set of:

further information;

a music or video file or software product;

access to an electronic service;

bonus points usable within an e-commerce business;

cash payment.

16. The client system of anyone of the claims 10 to 13 comprising

means for administrating statistical information after said user returns to said first document to measure attractiveness of said second document due to its accessibility through said hyperlink from said first document.

17. A server computer for providing reward to a user said server

computer (3) being connectable to a client computer (1) by a computer network (2) and said server computer comprising

means for sending a first document (8) from the server computer to the client computer in response to a client computer's respective download request, the first document having a hyperlink to a second document (12) on said server computer or on another server computer;

means (9) for rewarding the user in response to a reward request received from the client computer the reward being subject to the user returning to the first document after having followed the hyperlink.

18. The server system according to claim 17 the means for rewarding further comprising:

means for providing unique user identification data to the client computer;

means (11) for storing user information required to reward the user, the user information being retrievable based on the unique user identification data;

means for retrieving the user information in response to a reward request received from the client computer to effect reward of the user, the reward request comprising the unique user identification data.

19. A computerized method to provide a reward to a user of a computer system comprising a single computer or a multitude of computers interconnected by a computer network, the method comprising the following steps:

loading a first document in response to a respective user request said first document having a hyperlink to a second document; and

monitoring said user whether said user navigates to said second document; and

monitoring said user whether said user returns to said first document; and

providing a reward to said user once said user returns to said first document.

20. The computerized method of claim 19 further comprising the steps of:

determining the amount of time for the user's return to the first document; and

comparing the amount of time to a first and a second threshold value,

providing the reward only if the amount of time is greater than the first threshold value and smaller than the second threshold value.

21. The computerized method of claim 19 or 20 wherein said computer system comprising a client computer providing said user access to at least one server computer and said method further comprising the steps of:

storing unique user identification data on the client computer;

storing user information required to reward the user by said server computer, the user information being retrievable based on the unique user identification data;

providing the unique user identification data to the server computer in response to the user returning to the first document for retrieval of the user information to effect the reward.

22. The computerized method according to claim 20 or 21,

wherein said first threshold is a characteristic time period necessary for a human user to perceive the information provided by the second document.

23. The computerized method according to anyone of claims 19 to 22,

wherein said reward consists in any element or combination of elements of the set of:

further information;

a music or video file or software product;

access to an electronic service;

bonus points usable within an e-commerce business;

cash payment.

24. The computerized method according to anyone of claims 19 to 23 further comprising the step of

administrating statistical information after said user returns to said first document to measure attractiveness of said second document due to its accessibility through said hyperlink from said first document.

25. A data processing program for execution in a data processing system comprising software code portions for performing a method according to anyone of the preceding claims 19 to 24 when said program is run on said computer.

26. A computer program product stored on a computer usable medium, comprising computer readable program means for causing a

computer to perform a method according to anyone of the preceding claims 19 to 24 when said program is run on said computer.

THIS PAGE BLANK (USPTO)

A B S T R A C T

EPO - Munich
52

23. Dez. 2000

A computer system to reward a user's interaction behavior for following a hyperlink in a first document to a second document and then to return to the original document again. The reward can be provided in terms of (positively priced) information or payment in the form of bonus points or cash payment or access to computerized services and the like. The required information to effect the reward is stored in databases 10 und 11. This way incentive is provided to a user to definitely and intentionally return to the original document.

(Fig. 2)

THIS PAGE BLANK (USPTO)

23. Dez. 2000

1 / 7




FIG. 1

2 / 7




FIG. 2

3 / 7




FIG. 3




FIG. 4




FIG. 5



FIG. 6

7 / 7




FIG. 7

THIS PAGE BLANK (USPTO)